

MORE THAN JUST A SUPPLIER



GUARANTEED QUALITY
CONTINUOUS DEVELOPMENT
PRODUCT SUPPORT
FREE SAMPLE

- ▶ THERMAL PRINTING RIBBONS
- ▶ LABELS & PRINTERS
- ▶ SOFTWARE & SERVICES

LABELS & RIBBONS

27-YEAR EXPERIENCE

MTX

RIBBONS for FLAT-HEAD THERMAL TRANSFER PRINTERS

We offer a wide-range of both labels and thermal transfer ribbons. Thermal transfer color ribbons for label printers can be purchased from ShrinkTech® in many different qualities for various applications and implementations.



Browse our assortment and find **WAX** ribbons, **WAX/ RESIN** ribbons and **RESIN** ribbons for your professional label printing.

| ARTICLE NO. | DESCRIPTION | COLOUR | SIZE | |
|--------------|---|--------|------------|-------------|
| | | | Width (mm) | Length (mm) |
| MTX22 | WAX ribbon for paper marker | black* | 30 - 220 | 300 |
| MTX25 | WAX ribbon for paper marker | black* | 30 - 220 | 450 |
| MTX26 | WAX ribbon for paper marker | black* | 30 - 220 | 600 |
| MTX40 | WAX-RESIN ribbon for universal use | black* | 30 - 220 | 300 |
| MTX42 | WAX-RESIN ribbon for universal use | black* | 30 - 220 | 450 |
| MTX45 | WAX-RESIN ribbon for universal use | black* | 30 - 220 | 600 |
| MTX61 | RESIN ribbon for plastic marker | black* | 30 - 220 | 300 |
| MTX60 | RESIN ribbon for plastic marker | black* | 30 - 220 | 450 |

* Other colours are available on request.

MTX

RIBBONS for NEAR-EDGE THERMAL TRANSFER PRINTERS



Huge variety of ribbons for direct printing on packaging, carton, cardboard, plastic boxes and tubes used in heavy and soft industries. Ribbons from ShrinkTech® ensure high resolution of printing and a durable product identification as well.

Ideal solution for printing texts, QR-codes, bar-codes, prices, date of manufacture or expiry dates for a wide-range of applications.



Browse our assortment and find **WAX/ RESIN** ribbons and **RESIN** ribbons for your professional label printing.

| ARTICLE NO. | DESCRIPTION | COLOUR | SIZE | |
|--------------|---|--------|------------|-------------|
| | | | Width (mm) | Length (mm) |
| MTX37 | WAX-RESIN ribbon for universal use | black* | 30 - 220 | 300 - 1200 |
| MTX38 | WAX-RESIN ribbon for universal use | black* | 30 - 220 | 300 - 1200 |
| MTX39 | WAX-RESIN ribbon for universal use | black* | 30 - 220 | 300 - 1200 |
| MTX95 | RESIN ribbon for plastic marker | black* | 30 - 220 | 300 - 1200 |
| MTX98 | RESIN ribbon for plastic marker | black* | 30 - 220 | 300 - 1200 |
| MTX91 | RESIN ribbon for plastic marker | black* | 30 - 220 | 300 - 1200 |

* Other colours are available on request.

**MPL • MEL • MTL
MTSL • MPPL**

LABELS for THERMAL TRANSFER PRINTERS

ShrinkTech® offers a wide range of roll labels from permanently adherent to removable labels made of synthetic materials like PET, PET silver, PE, PP or paper to cable markers and customized labels. Find exactly what you need in our assortment. All offered labels made of paper or foil are especially suited for thermal transfer printing.



Choose between permanently adherent and removable labels, as well as different shapes and colours.

| ARTICLE NO. | DESCRIPTION | COLOUR | SIZE Width (mm) | OPERATING TEMPERATURE |
|-------------|---|---------------|--------------------|--------------------------|
| MPL | PAPER label for universal use | white* | 30 - 220 | -20 °C to +50 °C |
| MEL | PE label for automotiv | white* | 30 - 220 | -25 °C to +85 °C |
| MTL | PET label for electronics | white* | 30 - 220 | -40 °C to +150 °C |
| MTSL | PET SILVER label for electronics | grey / silver | 30 - 220 | -40 °C to +150 °C |
| MPPL | PP label for universal use | white* | 30 - 220 | -20 °C to +80 °C |

SIZES AND COLOURS:

Sizes and colours of labels can be made according to customer specification. For further details please contact our sales representative.

*** Other colours are available on request.**

MECL • MSTL

LABELS for DIRECT THERMAL PRINTERS



Direct thermal labels offered by ShrinkTech® represent a great choice when the labels are used in controlled environments for short-term applications.

Since there is no need for a ribbon, direct thermal is a cost-effective way to print labels for temporary use such as shipping labels, inventory applications, prices tags and confirmations from payment terminals. Customers can choose both the economical and standard type of labels to cover all of short-span applications.



| ARTICLE NO. | DESCRIPTION | COLOUR | SIZE Width (mm) | OPERATING TEMPERATURE |
|-------------|-------------------------------------|--------|--------------------|--------------------------|
| MECL | PAPER label for economy use | white* | 30 - 220 | -20 °C to +50 °C |
| MSTL | PAPER label for standard use | white* | 30 - 220 | -25 °C to +50 °C |

SIZES AND COLOURS:

Sizes and colours of labels can be made according to customer specification. For further details please contact our sales representative.

*** Other colours are available on request.**

**MSL • MPAL • MPIL • MWPL
MUVL • MT3L • MWOL**

SPECIAL LABELS for THERMAL TRANSFER PRINTERS

Even for demanding environmental conditions, outdoor use, applications requiring the use of pre-printed and multi-column labels, ShrinkTech® offers special labels for a broad-spectrum of application such as health-care, manufacturing sector, heavy industry, etc. The back of the labels is covered with a special highly resistant permanent outdoor adhesive which ensures a perfect adhesion to metal and plastic materials, as well as wooden surfaces. Special labels in different colors, sizes and shapes are available on request.



| ARTICLE NO. | DESCRIPTION | COLOUR | SIZE Width (mm) | OPERATING TEMPERATUE |
|-------------|---|---------------------|--------------------|-------------------------|
| MSL | Self-laminated cable marker label | white / transparent | 30 - 220 | -35 °C to +105 °C |
| MPAL | Polyamid label for high temperatures | white* | 30 - 220 | -40 °C to +200 °C |
| MPIL | Polyimid label for extremely high temperatures | white* | 30 - 220 | -40 °C to +250 °C |
| MWPL | BOPP water-proof label | white* | 30 - 220 | -20 °C to +90 °C |
| MUVL | VINYL UV-resistant label | silver | 30 - 220 | -20 °C to +90 °C |
| MT3L | 3-coloumn PET label | white* | 30 - 220 | -40 °C to +150 °C |
| MWOL | PAPER label for wooden pallets | white* | 30 - 220 | -20 °C to +50 °C |

SIZES AND COLOURS:


Sizes and colours of labels can be made according to customer specification. For further details please contact our sales representative.

*** Other colours are available on request.**

ShrinkTech®

Professional labeling for industry

NiceLabel software helps you quickly design labels and create an efficient printing process so you can focus on running your business instead of worrying about print errors every day. Quick design professional labels without making investment in training and coding.



Start producing professional labels without IT help.

DESIGNER EXPRESS
DESIGNER PRO

- Label design
- On-demand printing



Streamline label printing to control labor costs and eliminate errors.

POWERFORMS
POWERFORMS SUITE

- Label design
- On-demand printing
- Application builder
- Integrated printing



Standardize your entire labeling process to meet compliance requirements.

LMS PRO
LMS ENTERPRISE

- Label design
- On-demand printing
- Application builder
- Integrated printing
- Document management
- Quality management

Shrink Tech & CAB

SQUIX **Industrial label and heat shrink tube printer**

- Reliable and fast printing
- Accurate print images
- Easy to operate, compact design
- Maximum quality standards
- Basic and label peel-off version
- Cutters CU and perforation cutters PCU for front-side mounting available
- Label roll diameter: up to 205 mm
- Wide-range of accessories



CU, PCU

| PRINTER | DESIGN | mm/s | DPI | PRINT WIDTH UP TO |
|-----------------|-----------|---------|---------|-------------------|
| SQUIX2 | Slim | 250/150 | 300/600 | 56.9/54.1 mm |
| SQUIX4 | Universal | 300/150 | 300/600 | 105.7 mm |
| SQUIX4.3 | Universal | 250 | 203/300 | 104/108.4 mm |
| SQUIX6.3 | Wide | 250 | 203/300 | 168/162.6 mm |

XC **Label printers for two-color printing**

- Two print units to achieve simultaneous printing with two colors on one label
- Ribbon-saver mechanism
- Picking up large label rolls with up to 300 mm diameter
- Wide-range of accessories



| PRINTER | mm/s | DPI | PRINT WIDTH UP TO |
|------------|------|---------|-------------------|
| XC4 | 125 | 300/600 | 56.9/54.1 mm |
| XC6 | 125 | 300/600 | 105.7 mm |

A8+ **Pallet and drum label printer**

- Two print units to achieve simultaneous printing with two colors on one label
- Ribbon-saver mechanism
- Print speed: 125 mm/s
- Picking up large label rolls with up to 300 mm diameter
- Wide-range of accessories



Shrink Tech & CAB**Label and heat shrink
tube printer series****EOS**

- Highest operating comfort
- Reliable and fast printing
- Accurate print images
- Maximum quality standards
- Print width up to:
108/105.7 mm
- Cutter and perforation
cutter for front-side
mounting available
- Wide-range of accessories

| PRINTER | mm/s | DPI | LABEL ROLL DIAMETER |
|-------------|------|---------|---------------------|
| EOS2 | 150 | 203/300 | up to 105.6 mm |
| EOS5 | 150 | 203/300 | up to 162.6 mm |

**Label printers for
desktop applications****MACH1/2**

- For thermal transfer and
direct thermal printing
- Ideal for small to medium-
volume printing
- Processing of label widths
up to 118 mm
- Solid double-walled
construction
- Printable resolution:
203/300 dpi
- Print width up to:
108/105.7 mm

| PRINTER | DESIGN | mm/s |
|--------------|-------------------------------------|---------|
| MACH1 | buttons and LED display | 127/102 |
| MACH2 | colored LCD display + navigator pad | 177/127 |

**Label printers for
industrial applications****MACH4S**

- Reliable and fast printing,
accurate imprint, little
footprint
- Print width up to: 105.7 mm
- Print speed: 300/150 mm/s
- Printable resolution:
300/600 dpi
- Ideal for: PCB labels - When
only little space is available,
min. label size 5x5 mm
- Type plates - Pin sharp
fonts, graphics and
barcodes up to 600 dpi
- Cardboard box and pallet
labels - up to a passage
width of 120 mm
- Types:
„B“ - with a tear-off edge,
„P“ - with a peel-off function,
„C“ - with a cutter

CAB Label and heat shrink tube printer ACCESSORIES

Stand-alone label dispensers

Every label size can be dispensed easily using the HS and VS dispenser. The labels can be stamped or cut without any space in between. Two dispersing directions:

- **HS** – Horizontal: for label rolls with bottom leading print image
- **VS** – Vertical: for label rolls with top leading print image



External unwinders and rewinders

Unwinders EU enable labels to be fed easy and consistent even if rolls are heavy.

Rewinders ER allow you to automatically wind up labels onto a roll during the printing process. They pick up materials wound either on the outside or the inside.

- Material width: up to 180 mm
- Roll diameter: up to 300 mm



Cutters and perforation cutters

In our assortment you can find two series:

- **CU** – Intended to cut paper labels, self-adhesive labels, cardboard, textile and plastic materials, as well as shrink tubes.
- **PCU** – Perforate continuous materials such as textile tapes or shrink tubes to simplify separation by hand. Cutting the material is also possible. Two perforation distances: 2,5 mm or 10 mm.



Applicators

Ensure labeling in real time. Applicators provide a cost-effective solution if operated semi-automatically or integrated in vertical orientation in production lines.

- **S1000** – A stroke cylinder applies the labels to products.
- **S3200** – Printed labels are applied to products automatically. For this purpose, labels are adjusted 45° to 95° to the horizontal by a rotary cylinder and moving towards products by means of a short-stroke cylinder.



ShrinkTech Service and Support

Service of printers and ordering spare parts

ShrinkTech® offers warranty and post-warranty repair service for all distributed printers. We also provide spare parts for printers and accessories. In case of any questions please do not hesitate to contact us.

Technical support for products CAB & ShrinkTech®

In order to create your labels, tags and prints comfortably, quickly and efficiently, we will help you choose the right labels, ribbons, printers and accessories. A wide range of accessories enables to significantly shorten the preparation time for marking and labeling your products.

Preprinted symbols and descriptions on labels

Should you want to order special labels with pre-printed texts, symbols and descriptions, ShrinkTech® will provide you the solution. After a mutual consultation, we can prepare pre-printed labels in the required quantity and quality for you.

Providing individual labels for special applications

ShrinkTech® also offers the production of individual labels for special applications and environments. After agreeing on technical details, we will produce and deliver special labels for your application in the required quantity and quality.


CAB & ShrinkTech® product training programs

ShrinkTech® organizes different training programs aimed at explaining functions, settings, use of printers and accessories for customers and business partners. If you are interested in our training programs, please, contact our office.

Asset management software Kodys®

Asset management software Kodys® provided by ShrinkTech® is a software solution for advanced asset management and effective inventory count of all your assets. It is suitable for small, medium or big companies able to work as an extension of your information system or run as a stand-alone solution. You can choose desktop application running under the operation system Windows and/or a mobile application for Android devices.





Commitment for the success of our partners



GUARANTEED QUALITY

Guaranteed ISO 9001 and ISO 14001 machines by the company TÜV Rheinland



FREE SAMPLE

We ensure free samples from our range of products



PRODUCT SUPPORT

Free advice on any day of the week



CONTINUOUS DEVELOPMENT

We are able to produce the products even according to an unique requirements



**SHRINK
T E C H**

www.shrinktech.com

sales@shrinktech.com | Tel.: +421 35 2850 070

- Research & Development
- High Quality Products
- Worldwide Sales
- Consulting & Services